

EAST Search History**EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14602	((multimode or multi-mode or (multiple near5 compress\$3)) and (adapt\$5) and (rate or bitrate or bit-rate))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 14:04
L2	5790	((multimode or multi-mode or (multiple near5 compress\$3)) and (adapt\$5) and (rate or bitrate or bit-rate) and (shar\$3 or common or "same") near5 (funct\$6 or unit or process or module))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 14:06
L3	1004	((multimode or multi-mode or (multiple near5 compress\$3)) and (adapt\$5) and (rate or bitrate or bit-rate) and (shar\$3 or common or "same") near5 (funct\$6 or unit or process or module)) and ("704".clas. or "370".clas. or "455".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 14:07
S1	1	("7254533").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/04/09 14:08
S2	18547	(multi-mode or multimode) and parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/09 14:10
S3	2816	(multi-mode or multimode) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/09 14:10
S4	16	(multi-mode or multimode) same parallel and ("704".clas. or "381".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/09 14:10

S5	1	("6658605").PN.	US_PGPUB; USPAT; USOCR	OR	OFF	2010/04/14 09:49
S6	133	"704".clas. and multiple near coding	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 09:50
S7	1	("5224167").PN.	US_PGPUB; USPAT; USOCR	OR	OFF	2010/04/14 12:32
S8	515	(multi-mode or multimode) and ("704". clas. or "381".clas.)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 12:47
S9	202	(multi-mode or multimode) and ("704". clas. or "381".clas.) and CELP	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 12:47
S10	2486	(partial or intermediary or intermediate) near3 select\$3 and (common or general or generic) near3 (calculat\$3 or operat\$3)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 13:57
S11	21	(partial or intermediary or intermediate) near3 select\$3 and (common or general or generic) near3 (calculat\$3 or operat\$3) and trellis	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 13:57
S12	42	(partial or intermediary or intermediate) near3 select\$3 and (common or general or generic) near3 (calculat\$3 or operat\$3) and ("704". clas. or "381".clas.)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 13:57
S13	124	(partial or intermediary or intermediate) near3 select\$3 and (common or general or generic) near3 (calculat\$3 or operat\$3) and ("379". clas.)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 13:59

S14	13	(partial or intermediary or intermediate) near3 select\$3 and (common or general or generic) near3 (calculat\$3 or operat\$3) and ("379".clas.) and codec	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 14:00
S15	10	(partial or intermediary or intermediate) near3 select\$3 and (common or general or generic) near3 (calculat\$3 or operat\$3) and ("375".clas.) and codec	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 14:00
S16	35	(partial or intermediary or intermediate) near3 select\$3 and (multimode or multi-mode) same cod \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 14:02
S17	1	("6658605").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/04/14 14:07
S18	1	("6324409").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/04/14 14:07
S19	5033	(reduc\$3 or lessen or eliminat\$3 or limit\$3) near5 (redundan\$2) and ("704".clas. or "381".clas. or "375".clas. or "379".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 14:09
S20	93	(reduc\$3 or lessen or eliminat\$3 or limit\$3) near5 (redundan\$2) and ("704".clas. or "381".clas. or "375".clas. or "379".clas.) and posteriori	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 14:09
S21	0	("2001027393").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/04/14 14:12
S22	1	("20010027393").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/04/14 14:12
S23	1	("6807526").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/04/14 14:14
S24	694	(704/230).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/04/14 14:16
S25	815	(704/230,E19.015, E19.017).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/04/14 14:38

S26	17	S25 and (trellis) same select\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 14:51
S27	2	S25 and (posteriori) same select\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 14:51
S28	28	S25 and (tandem)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 14:53
S29	1	("5729655").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/05/03 12:57
S30	1	("7254533").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/05/03 13:13
S31	3	(("6581032") or ("6141638") or ("6526140")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/05/03 13:48
S32	1	("7577567").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/05/03 14:53
S33	1	("7167828").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/05/03 14:53
S34	1	("20020173951").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/05/03 14:58
S35	1	("7596493").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/05/03 15:10
S36	1	("20020077812").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/05/03 15:18
S37	3	(interdependen\$4 or inter-dependen\$4) and (multimode or multi-mode) near5 cod\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/05 10:11
S38	10	(interdependen\$4 or inter-dependen\$4) and (multimode or multi-mode) same cod\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/05 10:11

S39	9	(interdependen\$4 or inter-dependen\$4) same cod\$3 and (multimode or multi-mode)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/05 10:11
S40	11	(interdependen\$4 or inter-dependen\$4) same cod\$3 and (multiple near5 compress\$3)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/05 10:13
S41	113	(interdependen\$4 or inter-dependen\$4) same cod\$3 same (tandem or parallel)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/05 14:15
S42	1	("7092676").PN.	US_PGPUB; USPAT; USOCR	OR	OFF	2010/05/05 14:19
S43	3832	(interdependen\$4 or inter-dependen\$4 or dependen\$4) same cod \$3 and "370".clas.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/05 14:21
S44	456	(interdependen\$4 or inter-dependen\$4 or dependen\$4) same cod \$3 and "370".clas. and adapt\$3 near10 rate	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/05 14:22
S45	8	(interdependen\$4 or inter-dependen\$4) same cod\$3 and "370".clas. and adapt\$3 near10 rate	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/05 14:22
S46	10	(interdependen\$4 or inter-dependen\$4) same cod\$3 and "704".clas. and adapt\$3 near10 rate	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/05 14:23
S47	6	(interdependen\$4 or inter-dependen\$4) same cod\$3 and "382".clas. and adapt\$3 near10 rate	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/05 14:23

S48	5	(interdependen\$4 or inter-dependen\$4) same cod\$3 and "455".clas. and adapt\$3 near10 rate	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/05 14:33
S49	39	(interdependen\$4 or inter-dependen\$4) same cod\$3 and "375".clas. and adapt\$3 near10 rate	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/05 14:33
S50	2	(interdependen\$4 or inter-dependen\$4) near5 cod\$3 and "704".clas. and adapt\$3 near10 rate	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/05 14:34
S52	1	(interdependen\$4 or inter-dependen\$4) near5 cod\$3 and "370".clas. and adapt\$3 near10 rate	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/05 14:35
S53	1	(interdependen\$4 or inter-dependen\$4) near5 cod\$3 and "370".clas. and adapt\$4 near10 rate	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/05 14:35
S54	13	(interdependen\$4 or inter-dependen\$4) near5 cod\$3 and "375".clas. and adapt\$4 near10 rate	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/05 14:35
S55	59554	(shar\$3 or common or communal or unified) near process\$3	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/05 14:38
S56	3	(("5729655") or ("7254533") or ("7272556")).PN.	US_PGPUB; USPAT; USOCR	OR	OFF	2010/05/11 11:12

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp

L4	523	((multimode or multimode or (multiple near5 compress\$3)) and (adapt\$5) and (rate or bitrate or bit-rate) and (shar\$3 or common or "same") near5 (funct\$6 or unit or process or module)) and ("704".clas. or "370".clas. or "455".clas.)	US-PGPUB; UPAD	OR	ON	2010/05/11 14:07
L5	3177	((multimode or multimode or (multiple near5 compress\$3)) and (adapt\$5) and (rate or bitrate or bit-rate) and (shar\$3 or common or "same") near5 (funct\$6 or unit or process or module))	US-PGPUB; UPAD	OR	ON	2010/05/11 14:07
L6	7494	((multimode or multimode or (multiple near5 compress\$3)) and (adapt\$5) and (rate or bitrate or bit-rate))	US-PGPUB; UPAD	OR	ON	2010/05/11 14:07
L7	129	((multimode or multimode or (multiple near5 compress\$3)) and (adapt\$5) and (rate or bitrate or bit-rate)).clm.	US-PGPUB; UPAD	OR	ON	2010/05/11 14:07
L8	4	((multimode or multimode or (multiple near5 compress\$3)) and (adapt\$5) and (rate or bitrate or bit-rate) and (shar\$3 or common or "same") near5 (funct\$6 or unit or process or module)).clm.	US-PGPUB; UPAD	OR	ON	2010/05/11 14:07
L9	20	((multimode or multimode or (multiple near5 compress\$3)) and (rate or bitrate or bit-rate) and (shar\$3 or common or "same") near5 (funct\$6 or unit or process or module)).clm.	US-PGPUB; UPAD	OR	ON	2010/05/11 14:09

5/11/2010 2:09:59 PM

C:\Documents and Settings\gborsetti\My Documents\EAST\Workspaces\10582025updated
(4).wsp